

CaesarStone

Colour and Product Portfolio 2007

The original quartz surface

CaesarStone® Quartz Surfaces are a naturally timeless, and practical choice for kitchens, bathrooms and commercial interiors. Easy to look after with a minimum of fuss, CaesarStone® Quartz Surfaces will look great for years to come.

CaesarStone® is the original quartz surface developed first in 1987. CaesarStone® is manufactured from approximately 94% natural quartz, pigments and an advanced polymer binding system.

CaesarStone's unique Australian colour range has been developed to co ordinate with a wide range of materials. The entire CaesarStone® colour range is offered in polished slabs and a selected range in the new Viento texture.



Kitchen bench top in Snow 2141

The CaesarStone difference:

10 Year Limited Warranty.
Authentic batch and serial numbers on underside of every CaesarStone® slab



Scratch and stain resistant

Non porous - never requires sealing

Heat resistant

Superior strength and flexibility

Mould and mildew resistant

CaesarStone® is manufactured using approximately
94% natural quartz, organic pigments and advanced polymers



Resistant to most household chemicals, acids and oils

Endless applications.

Caesarstone®'s unique blend of aesthetic and functional qualities make it the perfect choice for bench tops, table tops, counters and bathroom wall linings. CaesarStone® can be used for splashbacks in accordance to the relevant Australian Standards.




Wall linings and window sill in Snow 2141


Introducing Viento texture.

Windswept landscapes and years of exposure to the natural elements have inspired CaesarStone's luxurious new Viento texture and colour palette appealing to all senses. Viento texture will never require sealing and is scratch, stain and heat resistant.

Viento
texture



Ivory



2220

Latte



2350

Ginger



4330


Oyster

4030

Colour Portfolio



- Deluxe Range
- + Also available in the Viento texture



Snow ● 2141



Haze ● **NEW** 2030



Osprey 3141



Ice Cap ● 4141



Ice Snow 9141



Glacier 3144




Nougat ● 6600




Nimbus 9601

Edge Profiles


Many edge treatments are possible with CaesarStone®, from the most popular single thickness 20 or 30 mm slabs, through to laminated double thickness edge options, which can be fabricated by your stonemason using exclusive CaesarStone® colour matched glues. Our minimum suggested edge detail is a 3–4 mm radius or arris on any profile.



Standard Pencil +
180° Bullnose
Bevelled



Shark Nose +
Double 180° Bullnose



Double Pencil
Double Shark Nose +



Mitred +
Apron

+ Edge profiles recommended for Viento texture.



Raw Silk 2200



Ivory + 2220



Biscuit 2400



Linen **NEW** 2230



Bondi 3200



Latte + 2350



Almond Rocca 9241



Cashmere 2370

Low maintenance – easy care

CaesarStone® requires very little maintenance to keep the surface looking like new. For everyday, routine cleaning of CaesarStone® we recommend wiping the surface with warm soapy water and a damp cloth or alternatively use a quality spray and wipe type cleaner. For extra-stubborn spills we recommend using CaesarStone® brand Cream Cleanser. Detailed Care and Maintenance instructions are provided in our 10 Year Limited Warranty card. Be sure to ask your supplier for a copy.



CaesarStone® brand Cream Cleanser is available directly from CaesarStone® offices in all states or alternatively call (08) 8285 6385 for mail order.



NSF - Live Safe. CaesarStone® is approved for use in food preparation areas



Sage

2750




Seattle Sky

2020



Mangrove

3730



Titan

3040



Ginger ● + **NEW**

4330




Oyster ● + **NEW**

4030



Mink ●

4350



Raven ● **NEW**

4120

Technical Information

CaesarStone® products and plant procedures are in accordance with strict ISO 9002 guidelines. In Australia Caesarstone® has been independently tested by the CSIRO and scored the highest possible results for stain resistance and resistance to dry heat and thermal shock.


Nominal slab size: 3060 mm x 1440 mm x 20 mm and 30 mm thickness.

Weight: 20 mm; 50 Kg/m². 30 mm; 75 Kg/m²

The full technical properties of CaesarStone® can be viewed on our website: www.caesarstone.com.au

Note: All colours are available in 20 mm thickness. Please contact your local CaesarStone® office to confirm which colours are available in 30 mm thick slabs in your state.

CaesarStone® is made from natural quartz and as such some variation in colour and aggregate may occur. We always recommend making final colour selection off an actual sample of CaesarStone® as the colours depicted in this brochure are only as close as modern printing methods will allow.



Cracked Pepper

9260




Nova Aurora ●

7141



Sterling ●

6040



Zulu

9140




Aubergine

2460



Night Sky

6100



Espresso **NEW**

3380



Jet Black **NEW**

3100



In Sydney, view large samples at the CaesarStone® showroom, in the Domayne Centre, Alexandria. You can also view large samples at the Melbourne and Gold Coast Showrooms.



www.flatpackkitchens.com

Distributed by
DIY Flat Pack Kitchens Pty Ltd
ACN 008 271 896

South Australia 08 8285 6385
New Zealand +61 8 8285 6385

CaesarStone® is a registered trademark.
NSF Mark and Live safer are registered trademarks of NSF International.

Printed, September 2006.